

Rabbit Anti-Mouse IgG (H+L) Secondary Antibody

Rabbit Anti-Mouse IgG (H+L)-FITC

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA78844	Rabbit	Mouse	Western Blot, Immunohistochemistry, Immunofluorescence, Immunoblot, Western Blot, ELISA


PRODUCT SYNONYMS

Rabbit Anti-Mouse IgG (H+L); Polyclonal Secondary Antibody; Rabbit Anti-Mouse IgG (H+L)-FITC; Rabbit Anti-Mouse IgG(H+L) - FITC; Rabbit Anti-Mouse IgG (H+L) secondary antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse
Clonality	Polyclonal
Isotype	IgG
Specificity	Reacts with the heavy and light chains of mouse IgG and the light chains of mouse IgM and IgA
Purity/Purification	Affinity chromatography on pooled mouse IgG covalently linked to agarose.
Form/Format	The fluorescein (FITC) conjugate is supplied as 1.0 mg in 1.0 mL of PBS/NaN3
Applicable Applications for Rabbit Anti-Mouse IgG (H+L) secondary antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence), IB (Immunoblot), ELISA
Source Note	Pooled antisera from rabbits hyperimmunized with mouse IgG
Cross Adsorption	None; may react with immunoglobulins from other species
Preparation and Storage	Store at 2-8°C. Protect fluorochrome-conjugated forms from light. Reagents are stable for the period shown on the label if stored as directed.

IMAGES



ELISA

ADDITIONAL INFORMATION

Product Categories/Family for Rabbit Anti-Mouse IgG (H+L) secondary antibody	Rabbit Anti-Mouse IgG (H+L)
--	-----------------------------

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/rabbit-anti-mouse-igg-hl-secondary-antibody-western-blot-immunohistochemistry-immunofluorescence-immunoblot-elisa/78844>