

Fab Ig Secondary Antibody | Ig secondary antibody

Goat Fab Anti-Rat Ig, Mouse ads-FITC

CATALOG # AAA78929	HOST Goat	REACTIVITY Rat	APPLICATIONS Flow Cytometry, Functional Assay, ELISA
------------------------------	---------------------	--------------------------	--


PRODUCT SYNONYMS

Fab Ig; Polyclonal Secondary Antibody; Goat Fab Anti-Rat Ig; Mouse ads-FITC; Ig secondary antibody

PRODUCT SPECIFICATIONS


Host	Goat
Reactivity	Rat
Clonality	Polyclonal
Isotype	Goat IgG
Specificity	Reacts with the heavy and light chains of rat IgG and IgM
Form/Format	Phosphate buffered saline containing <0.1% sodium azide
Concentration	0.5mg/mL (varies by lot)
Applicable Applications for Ig secondary antibody	FCM/FACS (Flow Cytometry), FLISA, ELISA
Source	Papain digest of Goat Anti-Rat Ig, Mouse ads
Conjugation	FITC (Fluorescein)
Cross Adsorption	Mouse immunoglobulins and pooled sera; may react with immunoglobulins from other species
Preparation and Storage	Store at 2-8 degree C. Avoid exposure to light. Please refer to product specific SDS

IMAGES



Application Data

BALB/c mouse splenocytes were stained with Rat Anti-Mouse CD45-UNLB followed by Goat Fab Anti-Rat Ig, Mouse ads-FITC



FLISA

FLISA plate was coated with purified rat IgG and IgM. Immunoglobulins were detected with serially diluted Goat Fab Anti-Rat Ig, Mouse ads-FITC .

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

