

Pig interleukin 18 (interferon-gamma-inducing factor) ELISA Kit | IL18 elisa kit

Pig Interleukin 18, IL-18 ELISA Kit

CATALOG #
AAA79499

REACTIVITY
Pig


PRODUCT SYNONYMS

interleukin 18 (interferon-gamma-inducing factor); Pig Interleukin 18; IL-18 ELISA Kit; IGIF; IL-18; IL-1g; IL1F4; MGC12320; IL-1 gamma; interferon-gamma-inducing factor; interleukin 18; interleukin-1 gamma; interleukin-18; IL18 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Pig
Specificity	This assay has high sensitivity and excellent specificity for detection of pig IL-18. No significant cross-reactivity or interference between pig IL-18 and analogues was observed.
Sequence Length	192
Samples	Serum, plasma, tissue homogenates
Assay Type	Sandwich
Detection Range	31.25 pg/ml -2000 pg/ml.
Sensitivity	The minimum detectable dose of pig IL-18 is typically less than 7.81 pg/ml. The sensitivity of this assay, or Lower Limit of Detection (LLD) was defined as the lowest protein concentration that could be differentiated from zero. It was determined the mean O.D value of 20 replicates of the zero standard added by their three standard deviations.
Intra-assay Precision	Intra-assay Precision (Precision within an assay): CV%<8%. Three samples of known concentration were tested twenty times on one plate to assess.
Inter-assay Precision	Inter-assay Precision (Precision between assays): CV%<10%. Three samples of known concentration were tested in twenty assays to assess.
Preparation and Storage	Unopened test kits should be stored at 2 to 8 degree C upon receipt. Please refer to pdf manual for further storage instructions.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IL18 elisa kit	Principle of the assay: This assay employs the quantitative sandwich enzyme immunoassay technique. Antibody specific for IL-18 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and any IL-18 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for IL-18 is added to the wells. After washing, avidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of IL-18 bound in the initial step. The color development is stopped and the intensity of the color is measured.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	47522820
NCBI GeneID	397057
NCBI Accession #	NP_999162.1
NCBI GenBank Nucleotide #	NM_213997.1
UniProt Accession #	O19073; Q1HDI4
Molecular Weight	22,026 Da
NCBI Official Full Name	interleukin-18
NCBI Official Symbol	IL18
NCBI Official Synonym Symbols	IL-18
NCBI Protein Information	interleukin-18; IL-1 gamma; interleukin-1 gamma; IFN-gamma-inducing factor; interferon gamma-inducing factor; interferon-gamma-inducing factor
UniProt Protein Name	Interleukin-18
UniProt Gene Name	IL18
UniProt Synonym Gene Names	IGIF; IL-18; IFN-gamma-inducing factor; IL-1 gamma
UniProt Entry Name	IL18_PIG

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/il18-pig-elisa-kits/interleukin-18-interferon-gamma-inducing-factor/79499>