

Heterogeneous nuclear ribonucleoprotein Q Recombinant Protein | SYNCRIP recombinant protein

Recombinant Human Heterogeneous nuclear ribonucleoprotein Q

CATALOG # AAA81614	HOST E Coli
------------------------------	-----------------------


PRODUCT SYNONYMS

Heterogeneous nuclear ribonucleoprotein Q; Recombinant Human Heterogeneous nuclear ribonucleoprotein Q; Glycine- and tyrosine-rich RNA-binding protein; GRY-RBP; NS1-associated protein 1; Synaptotagmin-binding; cytoplasmic RNA-interacting protein; SYNCRIP recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Liquid containing glycerol
Sequence Positions	2-191aa; Partial
Sequence	ATEHVNGNGT EEPMDTTSV IHSENFQTL DAGLPQKVAE KLDEIYVAGL VAHSDLDERA IEALKEFNED GALAVLQQFK DSDL SHVQNK SAFLCGVMKT YRQREKQGTK VADSSKGPDE AKIKALLERT GYTLDVTTGQ RKYGGPPDVS VYSGQQPSVG TEIFVGKIPR DLFEDLVPL FEKAGPIWDL
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for SYNCRIP recombinant protein	Heterogenous nuclear ribonucleoprotein (hnRNP) implicated in mRNA processing mechanisms. Component of the CRD-mediated complex that promotes MYC mRNA stability. Isoform 1, isoform 2 and isoform 3 are associated in vitro with pre-mRNA, splicing intermediates and mature mRNA protein complexes. Isoform 1 binds to apoB mRNA AU-rich sequences. Isoform 1 is part of the APOB mRNA editosome complex and may modulate the postranscriptional C to U RNA-editing of the APOB mRNA through either by binding to A1CF (APOBEC1 complementation factor), to APOBEC1 or to RNA itself. May be involved in translationally coupled mRNA turnover. Implicated with other RNA-binding proteins in the cytoplasmic deadenylation/translational and decay interplay of the FOS mRNA mediated by the major coding-region determinant of instability (mCRD) domain. Interacts in vitro preferentially with poly(A) and poly(U) RNA sequences. Isoform 3 may be involved in cytoplasmic vesicle-based mRNA transport through interaction with synaptotagmins. Component of the GAIT (gamma interferon-activated inhibitor of translation) complex which mediates interferon-gamma-induced transcript-selective translation inhibition in inflammation processes. Upon interferon-gamma activation assbles into the GAIT complex which binds to st loop-containing GAIT elements in the 3'-UTR of diverse inflammatory mRNAs (such as ceruplasmin) and suppresses their translation; ses not to be essential for GAIT complex function.
Product Categories/Family for SYNCRIP recombinant protein	Immunology
References	A novel heterogeneous nuclear ribonucleoprotein-like protein interacts with NS1 of the minute virus of mice.Harris C.E., Boden R.A., Astell C.R.J. ViroI. 73:72-80(1999) Cloning of human and mouse GRY-RBP cDNA.Du G., Pan M., Zhou Y., Chen J., Yao H., Yuan J., Qiang B.Chin. Sci. Bull. 45:343-349(2000) SMN interacts with a novel family of hnRNP and spliceosomal proteins.Mourelatos Z., Abel L., Yong J., Kataoka N., Dreyfuss G.EMBO J. 20:5443-5452(2001) Suzuki Y., Sugano S., Totoki Y., Toyoda A., Takeda T., Sakaki Y., Tanaka A., Yokoyama S. The DNA sequence and analysis of human chromosome 6.Mungall A.J., Palmer S.A., Sims S.K., Edwards C.A., Ashurst J.L., Wilming L., Jones M.C., Horton R., Hunt S.E., Scott C.E., Gilbert J.G.R., Clamp M.E., Bethel G., Milne S., Ainscough R., Almeida J.P., Ambrose K.D., Andrews T.D., Ashwell R.I.S., Babbage A.K., Bagguley C.L., Bailey J., Banerjee R., Barker D.J., Barlow K.F., Bates K., Beare D.M., Beasley H., Beasley O., Bird C.P., Blakey S.E., Bray-Allen S., Brook J., Brown A.J., Brown J.Y., Burford D.C., Burrill W., Burton J., Carder C., Carter N.P., Chapman J.C., Clark S.Y., Clark G., Clee C.M., Clegg S., Cobley V., Collier R.E., Collins J.E., Colman L.K., Corby N.R., Coville G.J., Culley K.M., Dhami P., Davies J., Dunn M., Earthrowl M.E., Ellington A.E., Evans K.A., Faulkner L., Francis M.D., Frankish A., Frankland J., French L., Garner P., Garnett J., Ghorl M.J., Gilby L.M., Gillson C.J., Glithero R.J., Grafham D.V., Grant M., Gribble S., Griffiths C., Griffiths M.N.D., Hall R., Halls K.S., Hammond S., Harley J.L., Hart E.A., Heath P.D., Heathcott R., Holmes S.J., Howden P.J., Howe K.L., Howell G.R., Huckle E., Humphray S.J., Humphries M.D., Hunt A.R., Johnson C.M., Joy A.A., Kay M., Keenan S.J., Kimberley A.M., King A., Laird G.K., Langford C., Lawlor S., Leongamornlert D.A., Leversha M., Lloyd C.R., Lloyd D.M., Loveland J.E., Lovell J., Martin S., Mashreghi-Mohammadi M., Maslen G.L., Matthews L., McCann O.T., McLaren S.J., McLay K., McMurray A., Moore M.J.F., Mullikin J.C., Niblett D., Nickerson T., Novik K.L., Oliver K., Overton-Larty E.K., Parker A., Patel R., Pearce A.V., Peck A.I., Phillimore B.J.C.T., Phillips S., Plumb R.W., Porter K.M., Ramsey Y., Ranby S.A., Rice C.M., Ross M.T., Searle S.M., Sehra H.K., Sheridan E., Skuce C.D., Smith S., Smith M., Spraggon L., Squares S.L., Steward C.A., Sycamore N., Tamlyn-Hall G., Tester J., Theaker A.J., Thomas D.W., Thorpe A., Tracey A., Tromans A., Tubby B., Wall M., Wallis J.M., West A.P., White S.S., Whitehead S.L., Whittaker H., Wild A., Willey D.J., Wilmer T.E., Wood J.M., Wray P.W., Wyatt J.C., Young L., Younger R.M., Bentley D.R., Coulson A., Durbin R.M., Hubbard T., Sulston J.E., Dunham I., Rogers J., Beck S.Nature 425:805-811(2003)

NCBI AND UNIPROT INFORMATION

NCBI GI #	228008396
NCBI GeneID	10492
NCBI Accession #	NP_001153145.1
NCBI GenBank Nucleotide #	NM_001159673.1
UniProt Accession #	O60506; Q53H05; Q5TCG2; Q5TCG3; Q8IW78; Q8N599; Q96LC1; Q96LC2; Q9Y583; E1P501; E1P502
Molecular Weight	47.8 kDa
NCBI Official Full Name	heterogeneous nuclear ribonucleoprotein Q isoform 2
NCBI Official Synonym Full Names	synaptotagmin binding, cytoplasmic RNA interacting protein
NCBI Official Symbol	SYNCRIP

NCBI Official Synonym Symbols	PP68; NSAP1; GRYRBP; HNRNPQ; HNRPQ1; GRY-RBP; hnRNP-Q
NCBI Protein Information	heterogeneous nuclear ribonucleoprotein Q
UniProt Protein Name	Heterogeneous nuclear ribonucleoprotein Q
UniProt Gene Name	SYNCRIP
UniProt Synonym Gene Names	HNRPQ; NSAP1; hnRNP Q; GRY-RBP
UniProt Entry Name	HNRPQ_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/syncrip-recombinant-protein-e-coli/81614>