

Mouse Cluster of differentiation 30 ELISA Kit | CD30 elisa kit

Mouse Cluster of differentiation 30 ELISA Kit

CATALOG #
AAA82283

REACTIVITY
Mouse


PRODUCT SYNONYMS

Cluster of differentiation 30; Mouse Cluster of differentiation 30 ELISA Kit; CD30 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Samples	Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate
Assay Type	Competitive
Detection Range	1.0-25ng/mL
Sensitivity	0.1ng/mL
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CD30 elisa kit	Intended Uses: This CD30 ELISA kit is intended Laboratory for research use only. The Stop Solution changes the color from blue to yellow and the intensity of the color is measured at 450 nm using a spectrophotometer. In order to measure the concentration ofCD30 in the sample, thisCD30 ELISA Kit includes a set of calibration standards. The calibration standards are assayed at the same time as the samples and allow the operator to produce a standard curve of Optical Density versusCD30 concentration. The concentration ofCD30 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Principle of the Assay: This CD30 enzyme linked immunosorbent assay applies a technique called a quantitative sandwich immunoassay. The microtiter plate provided in this kit has been pre-coated with a monoclonal antibody specific forCD30. Standards or samples are then added to the microtiter plate wells andCD30 if present, will bind to the antibody pre-coated wells. In order to quantitatively determine the amount ofCD30 present in the sample, a standardized preparation of horseradish peroxidase (HRP)-conjugated polyclonal antibody, specific forCD30 are added to each well to "sandwich" theCD30 immobilized on the plate. The microtiter plate undergoes incubation, and then the wells are thoroughly washed to remove all unbound components. Next, A and B substrate solution is added to each well. The enzyme (HRP) and substrate are allowed to react over a short incubation period. Only those wells that containCD30 and enzyme-conjugated antibody will exhibit a change in colour. The enzyme-substrate reaction is terminated by the addition of a sulphuric acid solution and the colour change is measured spectrophotometrically at a wavelength of 450 nm.
Product Categories/Family for CD30 elisa kit	Immunology

NCBI AND UNIPROT INFORMATION

NCBI GI #	180096
NCBI GeneID	943
Molecular Weight	50,935 Da
NCBI Official Full Name	CD30 antigen
NCBI Official Synonym Full Names	tumor necrosis factor receptor superfamily, member 8
NCBI Official Symbol	TNFRSF8
NCBI Official Synonym Symbols	CD30; Ki-1; D1S166E
NCBI Protein Information	tumor necrosis factor receptor superfamily member 8; Ki-1 antigen; CD30L receptor; cytokine receptor CD30; lymphocyte activation antigen CD30
UniProt Protein Name	Tumor necrosis factor receptor superfamily member 8
UniProt Gene Name	TNFRSF8
UniProt Synonym Gene Names	CD30; D1S166E
UniProt Entry Name	TNR8_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.