

Rabbit Muscarinic acetylcholine receptor ELISA Kit | M-AChR elisa kit

Rabbit Muscarinic acetylcholine receptor ELISA Kit

CATALOG #
AAA83157

REACTIVITY
Rabbit


PRODUCT SYNONYMS

Muscarinic acetylcholine receptor; Rabbit Muscarinic acetylcholine receptor ELISA Kit; M-AChR elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rabbit
Assay Type	Sandwich
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for M-AChR elisa kit

Intended Uses: This M-AChR ELISA kit is intended Laboratory for research use only. The Stop Solution changes the color from blue to yellow and the intensity of the color is measured at 450 nm using a spectrophotometer. In order to measure the concentration of M-AChR in the sample, this M-AChR ELISA Kit includes a set of calibration standards. The calibration standards are assayed at the same time as the samples and allow the operator to produce a standard curve of Optical Density versus M-AChR concentration. The concentration of M-AChR in the samples is then determined by comparing the O.D. of the samples to the standard curve.

Principle of the Assay: This M-AChR enzyme linked immunosorbent assay applies a technique called a quantitative sandwich immunoassay. The microtiter plate provided in this kit has been pre-coated with a monoclonal antibody specific for M-AChR. Standards or samples are then added to the microtiter plate wells and M-AChR, if present, will bind to the antibody pre-coated wells. In order to quantitatively determine the amount of M-AChR present in the sample, a standardized preparation of horseradish peroxidase (HRP)-conjugated polyclonal antibody, specific for M-AChR, is added to each well to "sandwich" the M-AChR immobilized on the plate. The microtiter plate undergoes incubation, and then the wells are thoroughly washed to remove all unbound components. Next, A and B substrate solution is added to each well. The enzyme (HRP) and substrate are allowed to react over a short incubation period. Only those wells that contain M-AChR and enzyme-conjugated antibody will exhibit a change in colour. The enzyme-substrate reaction is terminated by the addition of a sulphuric acid solution and the colour change is measured spectrophotometrically at a wavelength of 450 nm.

NCBI AND UNIPROT INFORMATION

NCBI GI #	37622910
NCBI GeneID	1128
NCBI Accession #	NP_000729.2
NCBI GenBank Nucleotide #	NM_000738.2
Molecular Weight	51,421 Da
NCBI Official Full Name	muscarinic acetylcholine receptor M1
NCBI Official Synonym Full Names	cholinergic receptor, muscarinic 1
NCBI Official Symbol	CHRM1
NCBI Official Synonym Symbols	M1; HM1; M1R
NCBI Protein Information	muscarinic acetylcholine receptor M1; acetylcholine receptor, muscarinic 1
UniProt Protein Name	Muscarinic acetylcholine receptor M1
UniProt Gene Name	CHRM1
UniProt Entry Name	ACM1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.