

Human Immunoglobulin D ELISA Kit | IgD elisa kit

Human Immunoglobulin D ELISA Kit

CATALOG #
AAA87240

REACTIVITY
Human


PRODUCT SYNONYMS

Immunoglobulin D; Human Immunoglobulin D ELISA Kit; IgD elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Samples	Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate
Assay Type	Competitive
Detection Range	50-1000?g/mL
Sensitivity	1.0?g/mL
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IgD elisa kit	Intended Uses: This IgD ELISA kit is intended Laboratory for research use only.The Stop Solution changes the color from blue to yellow and the intensity of the color is measured at 450 nm using a spectrophotometer. In order to measure the concentration of IgDin the sample, this IgDELISA Kit includes a set of calibration standards. The calibration standards are assayed at the same time as the samples and allow the operator to produce a standard curve of Optical Density versus IgDconcentration. The concentration of IgDin the samples is then determined by comparing the O.D. of the samples to the standard curve. Principle of the Assay: This IgDenzyme linked immunosorbent assay applies a technique called a quantitative sandwich immunoassay. The microtiter plate provided in this kit has been pre-coated with a monoclonal antibody specific for IgD. Standards or samples are then added to the microtiter plate wells and IgDif present, will bind to the antibody pre-coated wells. In order to quantitatively determine the amount of IgDpresent in the sample, a standardized preparation of horseradish peroxidase (HRP)-conjugated polyclonal antibody, specific for IgDare added to each well to "sandwich" the IgDimmobilized on the plate. The microtiter plate undergoes incubation, and then the wells are thoroughly washed to remove all unbound components. Next, A and B substrate solution is added to each well. The enzyme (HRP) and substrate are allowed to react over a short incubation period.Only those wells that contain IgDand enzyme-conjugated antibody will exhibit a change in colour. The enzyme-substrate reaction is terminated by the addition of a sulphuric acid solution and the colour change is measured spectrophotometrically at a wavelength of 450 nm.
Product Categories/Family for IgD elisa kit	Immunology

NCBI AND UNIPROT INFORMATION

NCBI GI #	402238463
NCBI Official Full Name	immunoglobulin D

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.