

Human oxidized lowdensity lipoprotein ELISA Kit | OxLDL elisa kit

Human oxidized lowdensity lipoprotein ELISA Kit

CATALOG #
AAA87829

REACTIVITY
Human


PRODUCT SYNONYMS

oxidized lowdensity lipoprotein; Human oxidized lowdensity lipoprotein ELISA Kit; oxidized lowdensity lipoprotein (Human); OxLDL elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Samples	Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate
Assay Type	Sandwich
Sensitivity	0.1 ng/mL.
Preparation and Storage	Store all reagents at 2-8 degree C

IMAGES



ADDITIONAL INFORMATION

Related Product Information for OxLDL elisa kit

For samples: Serum, plasma, cell culture supernatants, body fluid and tissue homogenate

INTENDED USE This OxLDL ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Human OxLDL. This ELISA kit for research use only!

PRINCIPLE OF THE ASSAY OxLDL ELISA kit applies the quantitative sandwich enzyme immunoassay technique. The microtiter plate has been pre-coated with a monoclonal antibody specific for OxLDL. Standards or samples are then added to the microtiter plate wells and OxLDL if present, will bind to the antibody pre-coated wells. In order to quantitatively determine the amount of OxLDL present in the sample, a standardized preparation of horseradish peroxidase (HRP)-conjugated polyclonal antibody, specific for OxLDL are added to each well to "sandwich" the OxLDL immobilized on the plate. The microtiter plate undergoes incubation, and then the wells are thoroughly washed to remove all unbound components. Next, substrate solutions are added to each well. The enzyme (HRP) and substrate are allowed to react over a short incubation period. Only those wells that contain OxLDL and enzyme-conjugated antibody will exhibit a change in color. The enzyme-substrate reaction is terminated by addition of a sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450 nm. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The OxLDL concentration in each sample is interpolated from this standard curve.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/oxldl-human-elisa-kits/oxidized-lowdensity-lipoprotein/87829>