

Mouse Dentin Sialo protein ELISA Kit | DSP elisa kit

Mouse Dentin Sialo protein ELISA Kit

CATALOG #
AAA90171

REACTIVITY
Mouse


PRODUCT SYNONYMS

Dentin Sialo protein; Mouse Dentin Sialo protein ELISA Kit; DSP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Samples	Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate
Assay Type	Competitive
Detection Range	0.5-10ng/mL
Sensitivity	0.1ng/mL
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for DSP elisa kit	For samples: Serum, plasma, cell culture supernatants, body fluid and tissue homogenate INTENDED USE This DSP ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Mouse DSP. This ELISA kit for research use only! PRINCIPLE OF THE ASSAY DSP ELISA kit applies the competitive enzyme immunoassay technique utilizing a monoclonal anti-DSP antibody and an DSP-HRP conjugate. The assay sample and buffer are incubated together with DSP-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the DSP concentration since DSP from samples and DSP-HRP conjugate compete for the anti-DSP antibody binding site. Since the number of sites is limited, as more sites are occupied by DSP from the sample, fewer sites are left to bind DSP-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The DSP concentration in each sample is interpolated from this standard curve.
---	--

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/dsp-mouse-elisa-kits/dentin-sialo-protein/90171>