

Canine Antioncogene p16 protein ELISA Kit | p16 elisa kit

Canine Antioncogene p16 protein ELISA Kit

CATALOG #
AAA92446

REACTIVITY
Canine


PRODUCT SYNONYMS

Antioncogene p16 protein; Canine Antioncogene p16 protein ELISA Kit; p16 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Canine
Samples	Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate
Assay Type	Sandwich
Detection Range	0.5-10ng/mL
Sensitivity	0.1ng/mL
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for p16 elisa kit	For samples: Serum, plasma, cell culture supernatants, body fluid and tissue homogenate INTENDED USE This P16 ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Canine P16. This ELISA kit for research use only! PRINCIPLE OF THE ASSAY P16 ELISA kit applies the quantitative sandwich enzyme immunoassay technique. The microtiter plate has been pre-coated with a monoclonal antibody specific for P16. Standards or samples are then added to the microtiter plate wells and P16 if present, will bind to the antibody pre-coated wells. In order to quantitatively determine the amount of P16 present in the sample, a standardized preparation of horseradish peroxidase (HRP)-conjugated polyclonal antibody, specific for P16 are added to each well to “sandwich” the P16 immobilized on the plate. The microtiter plate undergoes incubation, and then the wells are thoroughly washed to remove all unbound components. Next, substrate solutions are added to each well. The enzyme (HRP) and substrate are allowed to react over a short incubation period. Only those wells that contain P16 and enzyme-conjugated antibody will exhibit a change in color. The enzyme-substrate reaction is terminated by addition of a sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450 nm. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The P16 concentration in each sample is interpolated from this standard curve.
Product Categories/Family for p16 elisa kit	Cancer

NCBI AND UNIPROT INFORMATION

NCBI GI #	89355819
NCBI GeneID	1029
Molecular Weight	8,731 Da
NCBI Official Full Name	p16, partial
NCBI Official Synonym Full Names	cyclin-dependent kinase inhibitor 2A
NCBI Official Symbol	CDKN2A
NCBI Official Synonym Symbols	ARF; MLM; P14; P16; P19; CMM2; INK4; MTS1; TP16; CDK4I; CDKN2; INK4A; MTS-1; P14ARF; P19ARF; P16INK4; P16INK4A; P16-INK4A
NCBI Protein Information	cyclin-dependent kinase inhibitor 2A; CDK4 inhibitor p16-INK4; multiple tumor suppressor 1; cell cycle negative regulator beta; cyclin-dependent kinase 4 inhibitor A; cyclin-dependent kinase inhibitor 2A (melanoma, p16, inhibits CDK4)
UniProt Protein Name	Cyclin-dependent kinase inhibitor 2A, isoforms 1/2/3
UniProt Gene Name	CDKN2A
UniProt Synonym Gene Names	CDKN2; MTS1; CDK4I; MTS-1; p16-INK4; p16INK4A
UniProt Entry Name	CD2A1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.