

Monkey Costimulatory molecules B7H4 ELISA Kit | B7-H4 elisa kit

Monkey Costimulatory molecules B7H4 ELISA Kit

CATALOG #
AAA95116

REACTIVITY
Monkey


PRODUCT SYNONYMS

Costimulatory molecules B7H4; Monkey Costimulatory molecules B7H4 ELISA Kit; B7-H4 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Monkey
Samples	Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate
Assay Type	Sandwich
Intended Uses	This B7-H4 ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Monkey B7-H4. This ELISA kit for research use only, not for therapeutic applications
Intended Uses	This B7-H4 ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Monkey B7-H4. This ELISA kit for research use only, not for therapeutic applications!
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for B7-H4 elisa kit

Principle of the Assay: B7-H4 ELISA kit applies the quantitative sandwich enzyme immunoassay technique. The microtiter plate has been pre-coated with a monoclonal antibody specific for B7-H4. Standards or samples are then added to the microtiter plate wells and B7-H4 if present, will bind to the antibody pre-coated wells. In order to quantitatively determine the amount of B7-H4 present in the sample, a standardized preparation of horseradish peroxidase (HRP)-conjugated polyclonal antibody, specific for B7-H4 are added to each well to "sandwich" the B7-H4 immobilized on the plate. The microtiter plate undergoes incubation, and then the wells are thoroughly washed to remove all unbound components. Next, substrate solutions are added to each well. The enzyme (HRP) and substrate are allowed to react over a short incubation period. Only those wells that contain B7-H4 and enzyme-conjugated antibody will exhibit a change in color. The enzyme-substrate reaction is terminated by addition of a sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450 nm. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The B7-H4 concentration in each sample is interpolated from this standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	70997756
NCBI GeneID	79679
Molecular Weight	20,743 Da
NCBI Official Full Name	B7-H4
NCBI Official Synonym Full Names	V-set domain containing T cell activation inhibitor 1
NCBI Official Symbol	VTCN1
NCBI Official Synonym Symbols	B7X; B7H4; B7S1; B7-H4; B7h.5; VCTN1; PRO1291
NCBI Protein Information	V-set domain-containing T-cell activation inhibitor 1; B7 family member, H4; B7 superfamily member 1; T cell costimulatory molecule B7x; T-cell costimulatory molecule B7x; immune costimulatory protein B7-H4
UniProt Protein Name	V-set domain-containing T-cell activation inhibitor 1
UniProt Gene Name	VTCN1
UniProt Synonym Gene Names	B7H4; UNQ659/PRO1291
UniProt Entry Name	VTCN1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/b7-h4-monkey-elisa-kits/costimulatory-molecules-b7h4/95116>