

Goat Midregional proAtrial Natriuretic Peptide ELISA Kit | MR-proANP elisa kit

Goat Midregional proAtrial Natriuretic Peptide ELISA Kit

CATALOG #
AAA96753

REACTIVITY
Goat


PRODUCT SYNONYMS

Midregional proAtrial Natriuretic Peptide; Goat Midregional proAtrial Natriuretic Peptide ELISA Kit; MR-proANP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Goat
Samples	Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate
Assay Type	Competitive
Sensitivity	1.0 pmol/L.
Preparation and Storage	Store all reagents at 2-8 degree C

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MR-proANP elisa kit

Principle of the assay: MR-proANP ELISA kit applies the competitive enzyme immunoassay technique utilizing a monoclonal anti-MR-proANP antibody and an MR-proANP-HRP conjugate. The assay sample and buffer are incubated together with MR-proANP-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the MR-proANP concentration since MR-proANP from samples and MR-proANP-HRP conjugate compete for the anti-MR-proANP antibody binding site. Since the number of sites is limited, as more sites are occupied by MR-proANP from the sample, fewer sites are left to bind MR-proANP-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The MR-proANP concentration in each sample is interpolated from this standard curve.

Product Categories/Family for MR-proANP elisa kit

Cardiovascular

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/mr-proanp-goat-elisa-kits/midregional-proatrial-natriuretic-peptide/96753>