

Monkey Low density lipoprotein cholesterol ELISA Kit | LDL-C elisa kit

Monkey Low density lipoprotein cholesterol ELISA Kit

CATALOG #
AAA96921

REACTIVITY
Monkey


PRODUCT SYNONYMS

Low density lipoprotein cholesterol; Monkey Low density lipoprotein cholesterol ELISA Kit; LDL-C elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Monkey
Specificity	This assay has high sensitivity and excellent specificity for detection of LDLC. No significant cross-reactivity or interference between LDLC and analogues was observed. NOTE: Limited by current skills and knowledge, it is impossible for us to complete the cross-reactivity detection between LDLC and all the analogues, therefore, cross reaction may still exist in some cases.
Samples	Serum, plasma, cell culture supernatants, body fluid and tissue homogenate
Assay Type	Quantitative Competitive
Sensitivity	0.1 mmol/L
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LDL-C elisa kit	Intended Uses: This LDLC ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of MonkeyLDLC. This ELISA kit for research use only, not for therapeutic or test applications! Principle of the Assay: LDLC ELISA kit applies the competitive enzyme immunoassay technique utilizing a polyclonal anti-LDLC antibody and an LDLC-HRP conjugate. The assay sample and buffer are incubated together with LDLC-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the LDLC concentration since LDLC from samples and LDLC-HRP conjugate compete for the anti-LDLC antibody binding site. Since the number of sites is limited, as more sites are occupied by LDLC from the sample, fewer sites are left to bind LDLC-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The LDLC concentration in each sample is interpolated from this standard curve.
Product Categories/Family for LDL-C elisa kit	Cardiovascular

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/ldl-c-monkey-elisa-kits/low-density-lipoprotein-cholesterol/96921>