

## Chicken Xeroderma Pigmentosum, Complementation Group F ELISA Kit | XPF elisa kit

Chicken Xeroderma Pigmentosum, Complementation Group F ELISA Kit

CATALOG #  
**AAA97483**

REACTIVITY  
**Chicken**


### PRODUCT SYNONYMS

Xeroderma Pigmentosum; Complementation Group F; Chicken Xeroderma Pigmentosum; Complementation Group F ELISA Kit; XPF elisa kit

### PRODUCT SPECIFICATIONS

|                         |                                                                            |
|-------------------------|----------------------------------------------------------------------------|
| Reactivity              | Chicken                                                                    |
| Samples                 | Serum, plasma, Cell Culture Supernatants, body fluid and tissue homogenate |
| Assay Type              | Competitive                                                                |
| Sensitivity             | 0.1 ng/mL.                                                                 |
| Preparation and Storage | Store all reagents at 2-8 degree C.                                        |

### IMAGES



Standard Curve (Sample)

### ADDITIONAL INFORMATION

**Related Product Information for XPF elisa kit**

**Intended Uses:** This XPF ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Chicken XPF. This ELISA kit for research use only!

**Principle of the Assay:** XPF ELISA kit applies the competitive enzyme immunoassay technique utilizing a monoclonal anti-XPF antibody and an XPF-HRP conjugate. The assay sample and buffer are incubated together with XPF-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the XPF concentration since XPF from samples and XPF-HRP conjugate compete for the anti-XPF antibody binding site. Since the number of sites is limited, as more sites are occupied by XPF from the sample, fewer sites are left to bind XPF-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The XPF concentration in each sample is interpolated from this standard curve.

**For Research Use Only.** Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | [contact@aaabiotech.com](mailto:contact@aaabiotech.com)

Online datasheet: <https://stage.aaabiotech.com/xpf-chicken-elisa-kits/xeroderma-pigmentosum-complementation-group-f/97483>