

Human Fibrillin-2 ELISA Kit | FBN2 elisa kit

Human Fibrillin-2 ELISA Kit

CATALOG #
AAA97916

REACTIVITY
Human

PRODUCT SYNONYMS

Fibrillin-2; Human Fibrillin-2 ELISA Kit; FBN2; FBN2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of FBN2. No significant cross-reactivity or interference between FBN2 and analogues was observed.
Sequence Length	2912
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	0.625-40ng/ml
Sensitivity	0.375ng/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level FBN2 were tested 20 times on one plate, respectively. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level FBN2 were tested on 3 different plates, 8 replicates in each plate. CV (%) = SD/meanX100. Inter-Assay: CV<10%
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES

Typical Data & Standard Curve

Results of a typical standard run of a FBN2 ELISA Kit are shown below. This standard curve was generated at our lab for demonstration purpose only. Each user should obtain their own standard curve as per experiment. (N/A not applicable)

X	ng/ml	0	0.625	1.25	2.5	5	10	20	40
Y	OD450	0.027	0.063	0.094	0.162	0.311	0.752	1.288	2.063

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FBN2 elisa kit

Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-FBN2 antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-FBN2 antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. HRP Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the FBN2 amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of FBN2 can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	66346695
NCBI GeneID	2201
NCBI Accession #	NP_001990.2
NCBI GenBank Nucleotide #	NM_001999.3
Molecular Weight	157,690 Da
NCBI Official Full Name	fibrillin-2
NCBI Official Synonym Full Names	fibrillin 2
NCBI Official Symbol	FBN2
NCBI Official Synonym Symbols	CCA; DA9; EOMD
NCBI Protein Information	fibrillin-2
UniProt Protein Name	Fibrillin-2
UniProt Gene Name	FBN2
UniProt Entry Name	FBN2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/fbn2-human-elisa-kits/fibrillin-2/97916>