

Human Acetyl-CoA Carboxylase ELISA Kit | ACC elisa kit

Human Acetyl-CoA Carboxylase ELISA Kit

CATALOG #
AAA98527

REACTIVITY
Human

PRODUCT SYNONYMS

Acetyl-CoA Carboxylase; Human Acetyl-CoA Carboxylase ELISA Kit; ACC (Acetyl-CoA Carboxylase); ACC elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of ACC. No significant cross-reactivity or interference between ACC and analogues was observed.
Sequence Length	2346
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	1.563-100ng/ml
Sensitivity	0.938ng/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level ACC were tested 20 times on one plate, respectively. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level ACC were tested on 3 different plates, 8 replicates in each plate. CV (%) = SD/meanX100. Inter-Assay: CV<10%
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES

Typical Data & Standard Curve

Results of a typical standard operation of a ACC ELISA Kit are listed below. This standard curve was generated at our lab for demonstration purpose only. Users shall obtain standard curve as per experiment by themselves. (N/A=not applicable)

X	ng/ml	0	1.562	3.125	6.25	12.5	25	50	100
Y	OD450	0.113	0.126	0.158	0.186	0.486	0.536	1.179	2.356

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ACC elisa kit

Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-ACC antibody was pre-coated onto 96-well plates. And the biotin conjugated anti- ACC antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and washed with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the ACC amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of ACC can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	6006405
NCBI GeneID	281590
UniProt Accession #	Q9TTS3
Molecular Weight	265,303 Da
NCBI Official Full Name	acetyl-CoA-carboxylase
NCBI Official Symbol	ACACA
NCBI Official Synonym Symbols	ACC1; ACCA
NCBI Protein Information	acetyl-CoA carboxylase 1
UniProt Protein Name	Acetyl-CoA carboxylase 1
UniProt Gene Name	ACACA
UniProt Synonym Gene Names	ACAC; ACCA; ACC1
UniProt Entry Name	ACACA_BOVIN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/acc-human-elisa-kits/acetyl-coa-carboxylase/98527>