

Human Serine/arginine-rich splicing factor 2 ELISA Kit | SRSF2 elisa kit

Human Serine/arginine-rich splicing factor 2 ELISA Kit

CATALOG #
AAA99172

REACTIVITY
Human


PRODUCT SYNONYMS

Serine/arginine-rich splicing factor 2; Human Serine/arginine-rich splicing factor 2 ELISA Kit; SRSF2 (Serine/arginine-rich splicing factor 2)/Splicing factor; arginine/serine-rich 2/Splicing factor SC35/SC-35/Protein PR264/Splicing component; 35 kDa; SRSF2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	221
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	0.156-10ng/ml
Sensitivity	0.094ng/ml
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES



Standard Curve (Sample)

Typical Data & Standard Curve

Results of a typical standard run of a SRSF2 ELISA Kit are shown below. This standard curve was generated at our lab for demonstration purpose only. Each user should obtain their own standard curve as per experiment. (N/A-not applicable)

X	ng/ml	0	0.156	0.313	0.625	1.25	2.5	5	10
Y	OD450	0.136	0.206	0.260	0.397	0.596	0.964	1.481	2.164

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for SRSF2 elisa kit

Principle of the Assay||This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-SRSF2 antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-SRSF2 antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and wash with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the SRSF2 amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of SRSF2 can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	548960407
NCBI GeneID	101926868
NCBI Accession #	NP_001272001.1
NCBI GenBank Nucleotide #	NM_001285072.1
NCBI Official Full Name	serine/arginine-rich splicing factor 2
NCBI Official Symbol	SRSF2
NCBI Protein Information	serine/arginine-rich splicing factor 2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/srsf2-human-elisa-kits/serine-arginine-rich-splicing-factor-2/99172>